

# Enlist Duo® Herbicide

## Supplement to Bulk Storage and Handling Guide

This product-specific information supplements the Corteva Agriscience™ “Bulk Storage and Handling Guide”. Use these documents together to understand the requirements for a bulk storage facility of this product. To obtain additional copies of this Bulk Storage & Handling Guide, or this product-specific Supplement, see <https://BulkHandlingGuides.corteva.us> or contact your Corteva Territory Manager or Sales Representative.

### General Storage Comments

Enlist Duo herbicide handles well in bulk. The product will remain in the liquid state down to -4°F (-20°C). Salt crystallization will not occur, even at cold temperature, but the product will freeze at temperatures below -4°F (-20°C). When Enlist Duo freezes, a color change may occur. The active concentration remains homogeneous during freezing. If freezing or slush formation does occur due to cold temperatures, the recommendation is to move the product to temperatures above 68°F (20°C) for 24 hours. If this is not possible before product use, an alternative would be to mix it when temperature reaches 23°F (-5°C) until the normal appearance returns.

### Product Density vs. Temperature

Temperature °F (°C)	20 (-7)	30 (-1)	40 (4)	50 (10)	60 (16)	70 (21)	80 (27)	90 (32)
Density (lb./gal.)		9.86	9.83	8.81	9.78	9.76	9.73	9.70

### Flash Point, NFPA Rating, Storage Temperature, and Signal Word

Flash Point <sup>1</sup> °F (°C)	NFPA 704 Diamond Ratings			Min. Storage Temperature °F (°C)	EPA Signal Word
	Health	Flammability	Reactivity		
>212 (>100)	2	1	0	No Minimum*	Warning

\*Formulation will start to freeze at temperatures below 8°F and totally freeze below -4°F, but can be brought back into form with proper mixing of one to two tank turnovers, or heating of product and container to 68°F (20°C) for 24 hrs.

Material / Product Compatibility	Rating	Comment
Stainless Steel	OK	Essentially non-corrosive
Aluminum	OK	Slightly corrosive
Buna-N, EPDM, Viton, Neoprene, Silicone Rubber, Delrin, Teflon	OK	Little to no effect
Polyethylene (Low & High Density, HMW), Polypropylene, Rigid PVC	OK	Little to no effect
Hypalon Rubber	OK	Slight swelling
Copper, Yellow Brass	No	Moderately to Severely corrosive
Mild Steel	No	Severely corrosive. Never use for tanks
SBR Rubber, Nylon	No	Swells moderately. Severe weight gain

<sup>1</sup> The flash point of a liquid is the minimum temperature at which it gives off sufficient vapor to form an ignitable mixture with the air near the surface of the liquid or within the test vessel used.

# Enlist Duo® Herbicide

## Supplement to Bulk Storage and Handling Guide

### Bulk Tank Material of Construction and Requirements

Material of Construction	Stainless steel is preferred due to durability. Polyethylene is acceptable. Mild steel tanks are not allowed due to potential corrosion reaction. Aluminum exhibits slight corrosion (0.3-0.5 mil-inches per year in coupon tests).
Venting Requirements	No special venting requirements.
Couplers	Standard 2" adapter with cap for receiving bulk deliveries.
Mixing Requirement	Does not require mixing under normal storage, unless product freezes.

### Refillable Container Handling

DOT / EPA	This product is regulated by US Department of Transportation for certain volumes and modes. See the Transportation section of the MSDS. Containers must meet EPA requirements specified in the Pesticide Container & Containment Rule. See Corteva bulk guide for additional general requirements.
Material of Construction	Polyethylene and Stainless-steel refillable containers allowed. Mild steel tanks are not allowed.
Mixing	Does not require mixing under normal storage but could be required if product freezes in tote. Mixing would not be required if product temperature is raised to 20° C (68° F)
Couplers	Standard connections are acceptable.

*NOTICE: The information, procedures, methods, and recommendations herein are presented in good faith and are believed to be accurate and reliable as of the publication date, but may well be incomplete and/or not applicable to all conditions or situations. No representation, guarantee, or warranty is made as to the accuracy, reliability, or completeness of said information, procedures, methods, and recommendations. Nor is any representation, guarantee, or warranty made that application or use of any of the same will avoid hazards, accidents, losses, damages, or injury of any kind to persons or property, or give desired results, or that the same will not infringe patents of Dow AgroSciences, DuPont or Pioneer and their affiliated companies. Readers must satisfy themselves as to the suitability of said information, procedures, methods, and recommendations prior to use.*

Trademark of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or respective owners.

Enlist Duo is not registered for sale or use in all states. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state.

Rev. 10/2020

