Intrepid 2F®

INSECTICIDE

Unique, effective control for soybeans

Intrepid $2F^{\circledast}$ insecticide provides soybean growers an answer for soybean loopers, armyworms and other worm pests that can rob growers of yield and quality. Intrepid 2F is an insect growth regulator that's effective against many species of lepidopteran insects but has not demonstrated significant toxicological effects to most beneficial insects, mites and pollinators, such as lady beetles, lacewings, parasitic wasps and bees.

Key benefits

- The active ingredient mimics the molting hormone of lepidopteran insects, causing premature molting
- Excellent choice for Integrated Pest Management (IPM) programs
- Extended residual control
- Valuable rotation partner

Application rates and timing soybeans

Armyworms

Green clover worm

Saltmarsh caterpillar

4 - 8 fl oz/A

Soybean loopers

Velvet bean caterpillar

Begin applications when first signs of feeding damage appear or when threshold levels of feeding damage occur. Use higher rate for heavier infestations and under conditions in which thorough coverage is more difficult.

Ground application

Apply in a minimum of 10 gpa by using calibrated ground application equipment that provides thorough coverage.

Aerial application

Apply in a minimum spray volume of 5 gpa in equipment that has been properly patterned and calibrated for environmental conditions at the site. Use higher water volumes for heavy infestations and in situations where thorough coverage is difficult to achieve.

Restrictions

Preharvest interval: Do not apply within 14 days of harvest or seed.

- Do not apply more than a total of 64 fl oz of Intrepid 2F (1 lb ai) per acre per year.
- Do not make more than four applications per year.

Re-planting interval: A 7-day re-planting interval is required for residues of methoxyfenozide.



For more information on Intrepid 2F, please contact your local Corteva Agriscience territory manager or call 1-833-Corteva.

