



Milestone®

HERBICIDE

Milestone® Herbicide Can be Used for Weed Control Under Trees

Aminopyralid, the active ingredient in Milestone herbicide, has limited activity on woody species, including trees, when applied to the soil under the canopy. While it would be unlikely for broadcast applications of labeled rates to actually kill a mature tree (except legume species), there could be some leaf curling/cupping or other damage typical of growth regulator herbicides.

Therefore, Milestone should **NOT** be used over the top of desirable trees. Milestone can be used **ONLY** as a directed spray under the canopy, or within the dripline, of certain trees; but not under desirable legume trees/shrubs.

Trees Milestone CAN BE USED as an Under-Canopy Soil Application

Alder (Alnus Rubrus)	Maple (Acer Spp.)
Ash (Fraxinus Spp.)	Oaks (Quercus Spp.)
Aspen (Populus Spp.)	Poplar (Populus Spp.)
Black Cherry (Prunus Sesrotina)	Southern Yellow Pine (Pinus Spp. [Southern])
Cottonwood (Populus Spp.)	Sweetgum (Liquidambar Styraciflua)
Dogwood (Cornus Spp.)	Sycamore (Plantanus Occidentalis)
Eastern Red Cedar (Juniperus Virginiana)	Western White Pine (Pinus Monticola)
Eastern White Pine (Pinus Strobus)	Willow (Salis Spp.)
Elm (Ulmus Spp.)	Yellow Poplar(Transient Leaf Curling) (Liriodendron Tulpifera)

CAUTION

Milestone can cause injury or death to desirable vegetation. Users are advised not to apply Milestone over the top of desirable trees or in in the root zone of susceptible species where injury cannot be tolerated, especially at the 14 fl. oz. treatment.

CAUTION is suggested for use of Milestone® herbicide around the following species.

Applications may be made to weeds and soil outside of the dripline, with wider margins of avoidance suggested on downward facing slopes immediately above sensitive trees. Be sure not to treat low hanging foliage and exposed roots.

Birch (Betula Spp.)	Hackberry (Celtis Spp.)
Cherry (Except Black Cherry) (Prunus Spp.)	Japanese Elm (Zelkova Serrata)
Chinese Elm (Ulmus Parviflora)	Lodgepole Pine (Pinus Contorta)
Crabapple (Malus Spp.)	Ponderosa Pine (Pinus Ponderosa)
Douglas Fir (Pseudotsuga Menziesli)	Virginia Pine (Pinus Virginiana)
Fir (Abies Sp.)	Sycamore (Plantanus Occidentalis)
Eastern Red Cedar (Juniperus Virginiana)	Western White Pine (Pinus Monticola)
Eastern White Pine (Pinus Strobus)	Willow (Salis Spp.)
Elm (Ulmus Spp.)	Yellow Poplar (Transient Leaf Curling) (Liriodendron Tulpifera)



CAUTION

DO NOT use Milestone under desirable leguminous trees or the following listed species:

Black Locust (Robinia Pseudoacala)	Mulberry (Morus Spp.)
Caragana (Caragana Arborescens)	Locust Species—All Species
Western Red Cedar (Thuja Spp.)	Pinyon Pine (Pinus Edulus)
Honey Locust (Gledtsia Triacanthos)	Redbud (Cercis Occidentalis Or Canadensis)
Junipers (Juniperus Spp.)	Rose (Rosa Spp.)
Grapes (Vitis Spp.)	Spruce (Picea Spp.)
Mimosa (Albizia Julibrissin)	Western White Pine (Pinus Monticola)
Eastern White Pine (Pinus Strobus)	Willow (Salis Spp.)
Elm (Ulmus Spp.)	Yellow Poplar (Transient Leaf Curling) (Liriodendron Tulpifera)



Visit us at vegetationmgmt.com